



## SMS Rubber-lined P-Clip

Mikalor SMS P-Clips are ideal for attaching and retaining cable conduits, hoses and tubes in construction, sanitary and particularly in automotive applications.

They are widely used in agricultural machinery, boat-building, commercial vehicles, construction equipment etc.

The anti-vibration EPDM rubber profile helps to hold pipes, hoses and conduits firmly in place without chafing or damage to the clamping area.

In contrast to DIN 3016 P-Clips, SMS P-Clips have one round hole and one oval hole. This unique feature allows for certain flexibility when fixing these clips in place.

Mikalor SMS P-Clips are available in two bandwidths. 12,7mm (with an M6 hole) and 15,9mm (with an M8 hole).

\* Special diameters are available on request.

\* Other types of rubber lining are also available.

W1

### SMS P-Clip W1

Article	Part n° SMS W1	Application Ø D ±0,4		Bandwidth	E ±0,4	T ± 0,1	Metric Screw b	a	c	Box Quantity (MOQ)	Packing
		mm	inches								
SMS 4,8/12	03025007	4,80	3/16	12,7	15	1	M6	8	8	200	200
SMS 6/12	03025015	6,00	15/64	12,7	16	1	M6	8	8	200	200
SMS 8/12	03025022	8,00	5/16	12,7	17	1	M6	8	8	200	200
SMS 10/12	03025066	10,00	25/64	12,7	18	1	M6	8	8	200	200
SMS 11/12	03025069	11,00	7/16	12,7	19	1	M6	8	8	200	200
SMS 13/12	03025077	13,00	33/64	12,7	19	1	M6	8	8	200	200
SMS 14/12	03025090	14,00	35/64	12,7	20	1	M6	8	8	200	200
SMS 16/12	03025106	16,00	5/8	12,7	21	1	M6	8	8	200	200
SMS 17/12	03025122	17,50	11/16	12,7	22	1	M6	8	8	200	200
SMS 19/12	03025144	19,00	3/4	12,7	23	1	M6	8	8	200	200
SMS 20/12	03025155	20,60	13/16	12,7	23	1	M6	8	8	200	200
SMS 22/12	03025169	22,00	55/64	12,7	24	1	M6	8	8	100	100
SMS 23/12	03025185	23,80	15/16	12,7	25	1	M6	8	8	100	100
SMS 25/12	03025177	25,00	1	12,7	26	1	M6	8	8	100	100
SMS 27/12	03025225	27,00	1-1/16	12,7	27	1	M6	8	8	100	100
SMS 29/12	03025235	29,00	1-9/64	12,7	28	1	M6	8	8	100	100
SMS 30/12	03025255	30,20	1-3/16	12,7	29	1	M6	8	8	100	100
SMS 32/12	03025266	32,00	1-17/64	12,7	29	1	M6	8	8	100	100
SMS 33/12	03025274	33,30	1-5/16	12,7	30	1	M6	8	8	100	100
SMS 35/12	03025293	35,00	1-3/8	12,7	31	1	M6	8	8	100	100
SMS 36/12	03025310	36,50	1-7/16	12,7	32	1	M6	8	8	100	100
SMS 38/12	03025330	38,00	1-1/2	12,7	33	1	M6	8	8	100	100
SMS 41/12	03025360	41,00	1-39/64	12,7	34	1	M6	8	8	100	100
SMS 45/12	03025390	45,00	1-49/64	12,7	36	1	M6	8	8	50	50
SMS 47/12	03025422	47,00	1-27/32	12,7	37	1	M6	8	8	50	50
SMS 51/12	03025466	51,00	2-1/64	12,7	39	1	M6	8	8	50	50
SMS 54/12	03025499	54,00	2-1/8	12,7	42	1	M6	8	8	50	50
SMS 60/12	03025366	60,00	2-23/64	12,7	44	1	M6	8	8	50	50
SMS 65/12	03025377	65,00	2-9/16	12,7	46	1	M6	8	8	50	50
SMS 74/12	03025477	74,00	2-29/32	12,7	50	1	M6	8	8	50	50
SMS 82/12	03025480	82,00	3-15/64	12,7	59	1	M6	8	8	50	50
SMS 110/12	03025500	110,00	4-21/64	12,7	68	1	M6	8	8	50	50
SMS 6/15	03025600	6,40	1/4	15,9	16	1	M8	9	11	200	200
SMS 7/15	03025611	7,90	5/16	15,9	17	1	M8	9	11	200	200
SMS 9/15	03025622	9,50	3/8	15,9	18	1	M8	9	11	200	200

Article	Part n° SMS W1	Application Ø D ±0,4		Bandwidth	E ±0,4	T ± 0,1	Metric Screw b	a	c	Box Quantity (MOQ)	Packing
		mm	inches								
SMS 11/15	03025633	11,10	7/16	15,9	19	1	M8	9	11	200	200
SMS 12/15	03025644	12,70	1/2	15,9	19	1	M8	9	11	200	200
SMS 14/15	03025655	14,30	9/16	15,9	20	1	M8	9	11	200	200
SMS 15/15	03025666	15,90	5/8	15,9	21	1	M8	9	11	200	200
SMS 14/15	03025677	17,50	11/16	15,9	22	1	M8	9	11	200	200
SMS 19/15	03025688	19,00	3/4	15,9	23	1	M8	9	11	200	200
SMS 20/15	03025699	20,60	13/16	15,9	23	1	M8	9	11	200	200
SMS 22/15	03025700	22,20	7/8	15,9	24	1	M8	9	11	100	100
SMS 23/15	03025711	23,80	15/16	15,9	25	1	M8	9	11	100	100
SMS 25/15	03025722	25,40	1	15,9	26	1	M8	9	11	100	100
SMS 27/15	03025733	27,00	1-1/16	15,9	27	1	M8	9	11	100	100
SMS 28/15	03025966	28,60	1-1/8	15,9	28	1	M8	9	11	100	100
SMS 30/15	03025744	30,20	1-3/16	15,9	29	1	M8	9	11	100	100
SMS 31/15	03025755	31,80	1-1/4	15,9	29	1	M8	9	11	100	100
SMS 33/15	03025766	33,30	1-5/16	15,9	30	1	M8	9	11	100	100
SMS 34/15	03025777	34,90	1-3/8	15,9	31	1	M8	9	11	100	100
SMS 36/15	03025788	36,50	1-7/16	15,9	32	1	M8	9	11	100	100
SMS 38/15	03025799	38,10	1-1/2	15,9	33	1	M8	9	11	100	100
SMS 41/15	03025811	41,00	1-39/64	15,9	34	1	M8	9	11	100	100
SMS 45/15	03025833	45,00	1-3/4	15,9	36	1	M8	9	11	50	50
SMS 47/15	03025844	47,00	1-27/32	15,9	37	1	M8	9	11	50	50
SMS 51/15	03025855	51,00	2-1/64	15,9	39	1	M8	9	11	50	50
SMS 55/15	03025866	54,00	2-1/8	15,9	42	1	M8	9	11	50	50
SMS 60/15	03025877	60,00	2-23/64	15,9	44	1	M8	9	11	50	50
SMS 64/15	03025888	64,00	2-33/64	15,9	46	1	M8	9	11	50	50
SMS 75/15	03025899	75,00	2-29/32	15,9	50	1	M8	9	11	50	50
SMS 110/15	03025900	110,00	4-21/64	15,9	68	1	M8	9	11	50	50

**W1 Band:** Hot Dip Galvanized steel (DX51) **Finish:** Galvanized and lined with EPDM rubber

